



LEXCOR SAFETY DATA SHEET

DATE PREPARED: 10/01/2015

SECTION 1 - MATERIAL IDENTIFICATION

PRODUCT NAME

FIBRELEX NATURAL ROOF INSULATION

SUPPLIER NAME AND ADDRESS

*Lexsuo Corporation
3275 Orlando Dr.
Mississauga, Ontario L4V 1C5
Tel: 905.792.8800 Fax: 905.792.8801*

EMERGENCY TELEPHONE NUMBER:

CANTEC: 613.996.6666

General Use: Fibrelex Natural Insulation is used for BUR Systems. The Panels and Roof Insulation are used as insulation panels, sound deadening panels, as roof insulation, as raw material in the making of slope insulation for the BUR Systems, as a cap sheet over other insulation, as a separation board between old and new roofs, as an underlay on steel deck applications.

WHMIS Classification: This product is not controlled by WHMIS.

SECTION 2 - HAZARDOUS INGREDIENTS

Component	C.A.S. No	Weight	Species	LD50 Oral	LC50 Inhalation Hour
-----------	-----------	--------	---------	-----------	----------------------

N/A

The component declared herein is not considered a hazardous component as per WHMIS and OSHA, 29 CFR 1910.1200 legislations.

As per OSHA and WHMIS the above product is considered a consumable item and do not require MSDS. However we want to disclose as much as possible information relating to health and safety, to ensure that the product is handled and used properly. This MSDS contains valuable information for safe handling and proper use of the product. This MSDS should be retained and available for employees and other users.

SECTION 3 - PHYSICAL & CHEMICAL PROPERTIES

Appearance at 25°C:	Solid; beige wood fibre board
Odour:	Neutral
pH:	No object
Density:	Not determined
Melting Point:	No object
Freezing Point:	No object
Boiling Point:	No object
Evaporation Rate:	No object
Vapour Tension:	No object
Vapour Density:	No object
Relative Density(water =1):	< 1
Solubility:	Insoluble in water
Decomposition Temperature:	Not measured
Viscosity:	No object

SECTION 4 - FIRE EXPLOSION DATA

Flash Point:	> 250°C
Flammable Limits in air:	No object
Auto-Inflammation Temperature:	> 400°C
Specific Dangers:	Fire gives off normal products of combustion
Fire Fighting Agents:	Use dry chemical powder, carbon dioxide (CO ₂), foam and water spray.
Fire Fighting Equipments:	Wear self-contained breathing apparatus and full protective clothing.

SECTION 5 - REACTIVITY DATA

Product Reactivity:	The product is not classified as self-reactive
Product Stability:	Stable
Hazardous reactions and polymerization:	No object
Condition to avoid:	Avoid storing the product at excessive temperature
Incompatible Materials:	No object
Hazardous decomposition products:	Normal decomposition products

SECTION 6 - HEALTH HAZARD DATA

Carcinogenicity, teratogenicity, embryotoxicity, mutagenicity:	This product has no carcinogenic, teratogenic, mutagenic, or embryotoxic known effects.
---	---

SECTION 7 - FIRST AID MEASURES

Inhalation:	In case of inhalation of gas or vapour, remove person to fresh air. If breathing is difficult or ceases, administer oxygen. If symptoms persist, consult a physician.
Skin contact:	Wash skin with soap and water. If irritation persists, consult a physician.
Eye contact:	Flush eyes with water for 15 to 20 minutes. If irritation persists, consult a physician.
Ingestion:	Ingestion is unlikely to occur. If ingestion occurs, consult a physician.

SECTION 8 - HANDLING SAFETY MEASURES

Respiratory Protection:	If the exposure limit to dust and fumes is exceeded, if the space is poorly ventilated use a breathing apparatus for organic vapour and dust.
Hands Protection:	Wearing gloves is recommended to prevent excessive skin exposure.
Eye protection:	In case of risk of projections, wearing safety glasses is recommended.
Protective clothing:	Wear proper protective clothing.

SECTION 9 - ENVIRONMENTAL & DISPOSAL INFORMATION

Elimination:	The finished product is a solid. To remove, use standard means approved for disposal. Dispose in a landfill or use any other method prescribed by regulation.
Environmental Effects:	Do not allow product or runoff from fire entering sewers, lakes, streams or drinking water pipes. Secure sewers and ditches to avoid contamination. Provincial and / or federal regulations may require that environmental agencies or other agencies have to be notified of a spill. The area must be cleaned and restored to original condition or to the satisfaction of authorities.

SECTION 10 - STORAGE

Storage: Store in a dry, well ventilated place away from sources of excessive heat. Product should be protected from the weather.

SECTION 11 - OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

Reference: *The information herein is presented in good faith and believed to be correct as of the date hereof. Information is based upon supplier issued material safety data sheets and may be subject to error. If apprised of changes, updated MSDS will be promptly issued. Users must make their own determination regarding the suitability of the product for their own purposes prior to use.*

Prepared by Lexsuco 2010 Corporation.